



(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開平9-17204

(43) 公開日 平成9年(1997)1月17日

(51) Int. Cl. <sup>6</sup>	識別記号	序内整理番号	P I	技術表示箇所
F 2 1 L 11/00			F 2 1 L 11/00	K
G 0 2 C 11/04			G 0 2 C 11/04	

審査請求 未請求 請求項の数3 書面 (全 2 頁)

(21) 出願番号 特願平7-197880

(22) 出願日 平成7年(1995)6月29日

(71) 出願人 595084438

磯部 仁

埼玉県鳩ヶ谷市大字里1552

(72) 発明者 磯部 仁


埼玉県鳩ヶ谷市大字里1552

(54) 【発明の名称】 メガネ直付け照明具

(57) 【要約】

【目的】 暗い場所でも、細かい字や数字を正確に読み取るのは、メガネと照明は、どちらも無くしてはならないものである。

【構成】 メガネのつる5の部分に照明装置一式を取りつけたものである。メガネに直接取りつけるため、小型・軽量・高視の必要がある。照明ランプには信頼度の高いLEDランプを使用したものである。対話中は、水平オフスイッチ7が作動して相手の目に照明光が入らないように消灯する。



## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 09-017204

(43)Date of publication of application : 17.01.1997

(51)Int.Cl.

F21L 11/00  
G02C 11/04

(21)Application number : 07-197880

(71)Applicant : ISOBE HITOSHI

(22)Date of filing : 29.06.1995


(72)Inventor : ISOBE HITOSHI

## (54) GLASSES MOUNTED LUMINAIRE

## (57)Abstract:

PURPOSE: To accurately read out fine letters and numerals even in a dark place.

CONSTITUTION: A set of lighting systems are mounted on the part of the bow 5 of a glasses. Since they are mounted direct to a glasses, small-size, lightweight and fine view are required. An LED lamp having high reliability is used for an illumination lamp. A horizontal off-switch 7 is actuated during conversation to put out lights so as to prevent illumination light from entering the eye of a companion to talk with.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

CLAIMS

---

[Claim(s)]

[Claim 1] The glasses direct attachment lighting implement using the Light Emitting Diode lamp.

[Claim 2] A Light Emitting Diode lamp and the glasses direct attachment lighting implement using the optical fiber.

[Claim 3] A glasses direct attachment lighting implement with the switching circuit to which lighting will go out if glasses become a horizontal position.

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

DETAILED DESCRIPTION

---

[Detailed Description of the Invention]

[0001] [Field of the Invention] This invention is invention about glasses and lighting which can read a fine character and a fine number correctly in a dark place.

[0002] When checking a fine character and a fine number conventionally [ [conventional technical] ] in a dark place, both glasses and a light are required. However, one side might be missing.

[0003] [the technical problem which invention makes solution \*\*\*\*\*] -- this invention is carried out to direct connection, in order to make it one of the two lack neither glasses nor a light

[0004] while making it the glasses which are a part of [The-means-for-solving-a-technical-problem] faces not spoil a fine sight -- small -- it needed to be lightweight and needed to unify

[0005] [Operation] By use of this invention, it can be begun to illuminate the character and number of the Light Emitting Diode lamp attached to the both sides of glasses fine with light.

[0006] [Example] -- if the example of invention is explained below As shown in drawing 1 from a cell 2, making the Light Emitting Diode lamp 1 turn on turns ON a switch 3 via the IC mechanical component 4. The optical fiber 8 of drawing 3 floodlights the operation which is what is used in the place which became intricate narrowly when lighting is required in the floodlighting section 9 to the place which wants to insert and illuminate the light-receiving section 10 of an optical fiber at the nose of cam of the Light Emitting Diode lamp 1. If glasses will be in a level state, lighting goes out and it is made, as for the installation purpose of the level off-switch 7, for light not to go into a partner's eyes during the dialog of people and a man.

[0007] [Effect of the invention] Since this invention is the structure which linked the light with glasses directly, work of a dark place also has the advantage which can use both hands. In the narrow dark place which light does not reach, it can be begun through the light of a Light Emitting Diode lamp to compare an object with an optical fiber 8.

---

[Translation done.]

NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

TECHNICAL FIELD

---

[Field of the Invention] This invention is invention about glasses and lighting which can read a fine character and a fine number correctly in a dark place.

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any  
damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

PRIOR ART

---

When checking a fine character and a fine number conventionally [ [conventional technical] ] in a dark place, both glasses and a light are required. However, one side might be missing.

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

EFFECT OF THE INVENTION

---

[Effect of the invention] Since this invention is the structure which linked the light with glasses directly, work of a dark place also has the advantage which can use both hands. In the narrow dark place which light does not reach, it can be begun through the light of a Light Emitting Diode lamp to compare an object with an optical fiber 8.

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

TECHNICAL PROBLEM

---

[the technical problem which invention makes solution \*\*\*\*\*] -- this invention is carried out to direct connection, in order to make it one of the two lack neither glasses nor a light

---

[Translation done.]



\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

MEANS

---

while making it the glasses which are a part of [The-means-for-solving-a-technical-problem] faces not spoil a fine sight -- small -- it needed to be lightweight and needed to unify

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

OPERATION

---

[Operation] By use of this invention, it can be begun to illuminate the character and number of the Light Emitting Diode lamp attached to the both sides of glasses fine with light.

---

[Translation done.]

NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

EXAMPLE

---

[Example] -- if the example of invention is explained below As shown in drawing 1 from a cell 2, making the Light Emitting Diode lamp 1 turn on turns ON a switch 3 via the IC mechanical component 4. The optical fiber 8 of drawing 3 floodlights the operation which is what is used in the place which became intricate narrowly when lighting is required in the floodlighting section 9 to the place which wants to insert and illuminate the light-receiving section 10 of an optical fiber at the nose of cam of the Light Emitting Diode lamp 1. If glasses will be in a level state, lighting goes out and it is made, as for the installation purpose of the level off-switch 7, for light not to go into a partner's eyes during the dialog of people and a man.

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

DESCRIPTION OF DRAWINGS

---

[Brief Description of the Drawings]

[Drawing 1] The perspective diagram of this invention and glasses.

[Drawing 2] The expansion perspective diagram of this invention.

[Drawing 3] The sketch of an optical fiber.

[Description of Notations]

1 .. Light Emitting Diode lamp 2 .. Cell

3 .. Switch 4 .. IC mechanical component

5 .. Glasses vine 6 .. Glasses frame

7 .. Level off-switch 8 .. Optical fiber

9 .. Floodlighting section 10 .. Light-receiving section

---

[Translation done.]

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.


1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---


DRAWINGS

---


[Drawing 1]



[Drawing 2]



[Drawing 3]



---

[Translation done.]